according to Regulation (EC) No. 1907/2006

NovaTec® Pro 14-7-17



Version: 3.3 **Revision Date:** Date of last issue: 20.07.2022 24.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : NovaTec® Pro 14-7-17

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-: Fertilizer

stance/Mixture

1.3 Details of the supplier of the safety data sheet

: COMPO EXPERT GmbH Company

> Krögerweg 10 D-48155 Münster

: +49 (0) 251 29 79 81 - 000 Telephone

Telefax : +49 (0) 251 29 79 81 - 111

E-mail address of person

responsible for the SDS

: info@compo-expert.com

1.4 Emergency telephone number

GBK GmbH - Global Regulatory Compliance - 24h

Telephone: +49 (0) 6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard statements Not a hazardous substance or mixture ac-

cording to Regulation (EC) No. 1272/2008.

Supplemental Hazard

: EUH210 Statements

Safety data sheet available on request.

Further information German "Hazardous Substances" legislation (Ge-

fahrstoffverordnung) appendix I, No. 5 (Ammonium Nitrate

group C III)

2.3 Other hazards

None known.

according to Regulation (EC) No. 1907/2006

NovaTec® Pro 14-7-17



Version: 3.3 Revision Date:
Date of last issue: 20.07.2022 24.12.2022

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Fertilizer

NPK - fertilizer containing: Ammonium Nitrate, ammonium salts, phosphates, potassium sulphate, magnesium sulphate, salts of calcium, potassium and possibly magnesium and

trace elements.

1H-Pyrazole, 3,4-dimethyl-,phosphate (1:1)

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
ammonium nitrate	6484-52-2 229-347-8 01-2119490981-27- XXXX	Ox. Sol. 3; H272 Eye Irrit. 2; H319	>= 10 - < 45
Borates, tetra sodium salts, pentahydrate	12179-04-3 215-540-4 01-2119490790-32- XXXX	Repr. 1B; H360FD Eye Irrit. 2; H319	>= 0,1 - <= 0,2

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : Move to fresh air.

Obtain medical attention.

If unconscious place in recovery position and seek medical

advice.

In case of lung irritation, first treatment with dexametason

aerosol (spray).

In case of skin contact : Wash off with soap and water.

In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Ingestion may provoke the following symptoms:

Methaemoglobinemia

Risks : Later control for pneumonia and lung oedema.

according to Regulation (EC) No. 1907/2006

NovaTec® Pro 14-7-17



Version: 3.3 **Revision Date:** Date of last issue: 20.07.2022 24.12.2022

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

There is no specific antidote available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water

Unsuitable extinguishing

media

: Foam

Dry chemical

Carbon dioxide (CO2)

Sand

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: At temperatures above 130 °C, dangerous decomposition

gases can be emitted:

Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide, ammo-

nia

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid dust formation.

Ensure adequate ventilation.

In case of insufficient ventilation, wear suitable respiratory

equipment.

6.2 Environmental precautions

Environmental precautions Do not empty into drains.

Retain and dispose of contaminated wash water.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

6.4 Reference to other sections

For personal protection see section 8.

according to Regulation (EC) No. 1907/2006

NovaTec® Pro 14-7-17



Version: 3.3 Revision Date:
Date of last issue: 20.07.2022 24.12.2022

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Protect from contamination.

Keep away from direct sunlight.

Protect against heat. Protect from moisture.

Advice on protection against

fire and explosion

: The product is not flammable. Keep away from heat and

sources of ignition. Keep away from combustible materials.

Hygiene measures : At the end of the shift the skin should be cleaned and skin-

care agents applied.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep away from heat. Keep away from sources of ignition -No smoking. Keep away from combustible material. Protect from contamination. When stored loose do not mix with other fertilizers. Protect against humidity (product is hygroscopic

and tends to cake or disintegrate)

Further information on stor-

age conditions

: Protect against water. Keep away from direct sunlight.

Storage class (TRGS 510) : 5.1C, Ammonium nitrate and ammonium nitrate containing

preparations

7.3 Specific end use(s)

Specific use(s) : Always read the label and product information before use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Borates, tetra so- dium salts, pen- tahydrate	12179-04-3		3 mg/m3	DE TRGS 900
Peak-limit: excursion factor (category)	8;(II)			
Further information	Commission for dangerous substances, The threshold value is based on the element content of the corresponding metal., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		AGW	0,5 mg/m3	DE TRGS

Material Safety Data Sheet according to Regulation (EC) No. 1907/2006

NovaTec® Pro 14-7-17



Version: 3.3 Revision Date: Date of last issue: 20.07.2022 24.12.2022

			(Borate)	900
Peak-limit: excursion factor (category)	2;(I)			
Further information	Commission for dangerous substances, The threshold value is based on the element content of the corresponding metal., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
			1 mg/m3	ACGIHTLV
		TWA	1 mg/m3	GB EH40

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
ammonium nitrate	Workers	Inhalation	Long-term systemic effects	36 mg/m3
	Workers	Skin contact	Long-term systemic effects	5,12 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	8,9 mg/m3
	Consumers	Skin contact, Ingestion	Long-term systemic effects	2,56 mg/kg bw/day
Borates, tetra sodium salts, pentahydrate	Workers	Inhalation	Long-term exposure	6,7 mg/m3
	Consumers	Inhalation	Long-term exposure	3,4 mg/m3
	Workers	Skin contact	Long-term exposure	316,4 mg/kg bw/day
	Consumers	Skin contact	Long-term exposure	159,5 mg/kg bw/day
	Consumers	Ingestion	Long-term exposure, Short-term exposure	0,79 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
ammonium nitrate	Sewage treatment plant	18 mg/l
Borates, tetra sodium salts, pentahydrate	Fresh water	2,9 mg/l
	Marine water	2,9 mg/l
	Soil	5,7 mg/kg

according to Regulation (EC) No. 1907/2006

NovaTec® Pro 14-7-17



Version: 3.3 Revision Date:
Date of last issue: 20.07.2022 24.12.2022

Intermittent use/release 13,7 mg/l
Sewage treatment plant 10 mg/l

8.2 Exposure controls

Personal protective equipment

Respiratory protection : respiratory protection only if aerosol or dust is formed.

Particle filter EN 143 Type P1, low efficiency, (solid particles

of inert substances).

Environmental exposure controls

General advice : Do not empty into drains.

Retain and dispose of contaminated wash water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : granular

Colour : various

Odour : very faint

Odour Threshold : No data available

pH : ca. 5 - 5,5, Concentration: 100 g/l (20 °C)

Melting point/range : No data available

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit : Not explosive

Lower explosion limit : Not explosive

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Bulk density : ca. 1.150 kg/m³

Solubility(ies)

Water solubility : soluble

according to Regulation (EC) No. 1907/2006

NovaTec® Pro 14-7-17



Version: 3.3 Revision Date:
Date of last issue: 20.07.2022 24.12.2022

Partition coefficient: n-

octanol/water

: Not applicable

Decomposition temperature : > 130 °C

To avoid thermal decomposition, do not overheat.

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : Not considered an oxidizing substance

Particle characteristics

Particle Size Distribution : D50 = 3,4 mm

D50 Tolerance range = 3,0 mm - 3,8 mm

Measurement technique: Optoelectronic measurement meth-

od

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Evolution of ammonia under influence of alkalies.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

Avoid moisture.

10.5 Incompatible materials

Materials to avoid : Sulphur, chlorites, chloride, chlorates, Hypochlorites, acid or

alkaline reacting substances, flammable oxidizable substances, nitrites, metallic salts, metallic powder, herbicide, chlorin-

ated hydrocarbons, organic compounds.

according to Regulation (EC) No. 1907/2006

NovaTec® Pro 14-7-17



Version: 3.3 Revision Date:
Date of last issue: 20.07.2022 24.12.2022

10.6 Hazardous decomposition products

Hazardous decomposition

: Nitrogen monoxide, nitrogen dioxide, dinitrogenoxide, ammo-

products

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

nia

Components:

ammonium nitrate:

Acute oral toxicity : LD50 (Rat): > 2.950 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : > 88,8 mg/l

Method: No information available.

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 402

Borates, tetra sodium salts, pentahydrate:

Acute oral toxicity : LD50 (Rat): 3.200 - 3.400 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 2,0 mg/l

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

Skin corrosion/irritation

Product:

Species: Rabbit

Method: OECD Test Guideline 404

Result: non-irritant

Components:

ammonium nitrate:

Species: Rabbit

Method: OECD Test Guideline 404

Result: non-irritant

Borates, tetra sodium salts, pentahydrate:

Species: Rabbit

Result: No skin irritation

according to Regulation (EC) No. 1907/2006

NovaTec® Pro 14-7-17



Version: 3.3 Revision Date:
Date of last issue: 20.07.2022 24.12.2022

Serious eye damage/eye irritation

Product:

Species: Rabbit

Method: OECD Test Guideline 405

Result: non-irritant

Components:

ammonium nitrate:

Species: Rabbit

Method: OECD Test Guideline 405

Result: Irritant

Borates, tetra sodium salts, pentahydrate:

Species: Rabbit Assessment: Irritant

Result: Moderate eye irritation

Respiratory or skin sensitisation

Product:

Result: non-sensitizing

Components:

ammonium nitrate:

Result: Does not cause skin sensitisation.

Borates, tetra sodium salts, pentahydrate:

Test Type: Buehler Test Species: Guinea pig

Method: OECD Test Guideline 406 Result: Does not cause skin sensitisation.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : Remarks: Contains no hazardous ingredients according to

GHS

Components:

ammonium nitrate:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

Borates, tetra sodium salts, pentahydrate:

according to Regulation (EC) No. 1907/2006

NovaTec® Pro 14-7-17



Version: 3.3 Revision Date:
Date of last issue: 20.07.2022 24.12.2022

Germ cell mutagenicity- As-

sessment

: In vitro tests showed mutagenic effects

Carcinogenicity

Product:

Remarks: Contains no ingredient listed as a carcinogen

Components:

ammonium nitrate:

Species: Rat

Remarks: Animal testing did not show any carcinogenic effects.

Borates, tetra sodium salts, pentahydrate:

Carcinogenicity - Assess-

: Carcinogenicity classification not possible from current data.

ment

Reproductive toxicity

Product:

Effects on fertility

Remarks: No toxicity to reproduction

Effects on foetal develop-

ment

: Remarks: Did not show teratogenic effects in animal experi-

ments.

Information given is based on data obtained from similar sub-

stances.

Components:

ammonium nitrate:

Effects on fertility : Species: Rat

Remarks: Animal testing did not show any effects on fertility.

Effects on foetal develop-

ment

: Species: Rat

Remarks: Did not show teratogenic effects in animal experi-

ments.

Borates, tetra sodium salts, pentahydrate:

Reproductive toxicity - As-

sessment

: In animal testing, risk of impaired fertility was shown only after

administration of very high doses of this substance. May damage fertility. May damage the unborn child.

STOT - single exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single

according to Regulation (EC) No. 1907/2006

NovaTec® Pro 14-7-17



Version: 3.3 Revision Date:
Date of last issue: 20.07.2022 24.12.2022

exposure.

STOT - repeated exposure

Product:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

ammonium nitrate:

Species: Rat

NOAEL: > 1.500 mg/kg Application Route: Oral Exposure time: 28 d

Species: Rat

NOAEL: = 256 mg/kg Application Route: Oral Exposure time: 52 w

Method: OECD Test Guideline 453

Species: Rat

NOAEL: >= 185 mg/kg

Application Route: by inhalation

Exposure time: 2 w

Method: Repeated Dose Inhalation Toxicity: 28-day or 14-day Study.

Experience with human exposure

Product:

General Information : Danger of methaemoglobin formation.

Further information

Product:

Remarks: The product was not tested. The statement was derived from products of similar structure and composition.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): 422 mg/l

Exposure time: 48 h Test Type: static test

according to Regulation (EC) No. 1907/2006

NovaTec® Pro 14-7-17



Version: 3.3 **Revision Date:** Date of last issue: 20.07.2022 24.12.2022

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 555 mg/l

Exposure time: 48 h Test Type: static test

Toxicity to algae : No observed effect concentration (Desmodesmus subspicatus

> (green algae)): 83 mg/l Exposure time: 168 h Test Type: other

Method: No data available

Toxicity to bacteria : EC20 (activated sludge): ca. > 100 mg/l

> Exposure time: 0,5 h Test Type: other

Method: No data available

Components:

ammonium nitrate:

: LC50 (Fish): > 100 mg/l Toxicity to fish

Exposure time: 96 h

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia (water flea)): 490 mg/l

Exposure time: 48 h

LC50: 490 mg/l

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 1.700 mg/l

Exposure time: 10 d

Borates, tetra sodium salts, pentahydrate:

Toxicity to fish : LC50 (dab): 74 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 242 mg/l

Exposure time: 24 h

: EC10 (Scenedesmus subspicatus): 24 mg/l Toxicity to algae

Exposure time: 96 h

12.2 Persistence and degradability

Product:

: Remarks: The product works in the soil as fertilizer and is Biodegradability

diminished in a few weeks.

Components:

ammonium nitrate:

Biodegradability : Remarks: The methods for determining the biological degra-

according to Regulation (EC) No. 1907/2006

NovaTec® Pro 14-7-17



Version: 3.3 Revision Date:
Date of last issue: 20.07.2022 24.12.2022

dability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Components:

ammonium nitrate:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

: log Pow: -3,1

12.4 Mobility in soil

Product:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : Remarks: No data available

12.6 Other adverse effects

Product:

Additional ecological infor-

mation

: Disposal via sewage water treatment plants may cause impairment of the nitrification activity of the activated sludge.

There is a high probability that the product is acute not harm-

ful to aquatic organisms.

Additional ecological information

The product has not been tested. The information is derived

from the properties of the individual components.

At higher pH values, which can be found in natural surface waters, an increase of toxic effects on aquatic organsims may

be expected.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Check if agriculture use is possible.

Contact manufacturer.

Contaminated packaging : Contaminated packaging should be emptied as far as possi-

ble; then it can be passed on for recycling after being thor-

oughly cleaned.

according to Regulation (EC) No. 1907/2006

NovaTec® Pro 14-7-17



Version: 3.3 Revision Date:
Date of last issue: 20.07.2022 24.12.2022

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

 This product contains substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57). Borates, tetra sodium salts, pen-

tahydrate

Water contaminating class

(Germany)

: WGK 1 slightly water endangering

Other regulations : TRGS 511 'Ammonium nitrate'

This product is subject to Regulation (EU) 2019/1148; suspicious transactions, disappearance or theft of the product must

be reported to the relevant authority.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this product.

SECTION 16: Other information

according to Regulation (EC) No. 1907/2006

NovaTec® Pro 14-7-17



Version: 3.3 Revision Date:
Date of last issue: 20.07.2022 24.12.2022

Full text of H-Statements

H272 : May intensify fire; oxidizer. H319 : Causes serious eye irritation.

H360FD : May damage fertility. May damage the unborn child.

Full text of other abbreviations

Eye Irrit. : Eye irritation
Ox. Sol. : Oxidizing solids
Repr. : Reproductive toxicity

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA -Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Material Safety Data Sheet according to Regulation (EC) No. 1907/2006

NovaTec® Pro 14-7-17



Version: 3.3

Date of last issue: 20.07.2022

Revision Date: 24.12.2022

DE / EN